

INDEX

A

Abbreviations, 114, 171, 221
 Abstract Data Type, 323, 326
 Abstraction
 Function, 353. *See also* Retrieve
 Function
 Principles
 Operational, 253, 255—257, 326, 334, 351
 Representational, 255—256, 267, 326, 381
 Abstract Syntax, *See* Syntax, Abstract
 State, 280
 Activation, 284
 Stack, 284, 307
 Active Locations, 100
 Address, 99, 267—269
 Adequacy, 329, 340, 361
 Algebra, 14, 68
 Algebraic Semantics, 326, 458
 Aliasing, 99
 ALGOL 60, 8, 9, 15, 45, 109, 110, 112, 130, 141—173, 188, 189, 458
 ALGOL 68, 110, 112, 143, 189
 Algorithm, 20, 54
 Alpha-Conversion. *See* Conversion,
 Alpha
 Ambiguity, 11
 Answer Continuations, 139
 Applicative
 Language, 274
 Programming, 277
 Approximate mapping, 61
 Approximation, 54, 56
 Approximation relation, 58
 Argument, 15, 28, 29
 Arithmetic, 490
 Array, 112
 Pascal, 177, 186, 187, 189
 Association, Right, 34

Attribute

Inherited, 293, 300
 Semantics, 293, 300
 Synthesized, 293, 300
 Auxiliary Definitions
 ALGOL 60, 169—170
 Pascal, 195, 208—218, 245—248
 Axiom, 17, 19

B

Bachmann Diagram, 431, 432
 Beta-Conversion. *See* Conversion,
 Beta
 Bias, Implementation, 368
 Binary Tree, 325, 327—336
 Blocks, 14, 96, 179
 BNF, 301, 302, 448. *See also*
 Syntax, BNF
Bool, 31, 37, 76, 490
 Boolean Combination, 418
 Bottom, 58, 77
 Selection Language, 425
 Bottom-Up, 307
 Bound Variable, 38
 Broom, 420, 424
 B-Tree, 325, 334, 337—351

C

Calculus
 Lambda, 9, 29—32
 Predicate, 37—38, 390
 Propositional, 37
 Call. *See* Parameter,
 Transmission
 Cantor's Theorem, 53
 Cardinality, 53, 79, 80

Cartesian Product, 66
 Case
 Expression, 494
 Statement, 495
 Catalogue, 399
 Category Theory, 70
 Chain
 Dynamic, 284
 Environment, 286
 Static, 286
 Characters, 76
 Closure, 278, 281, 284, 286
 Coalesced Sum, 67
 Code Generation, 263—266,
 267—269, 296
 Combination
 Analysis, 426
 Boolean, 418
 Set-Theoretic, 425
 Tree-Theoretic, 425
 Combinator, 25, 32—37, 92—94,
 113, 323
 Command, 407
 Commutativity, 255
 Compilation, 285, 297
 Compiler, 9, 83, 253—269, 287
 Compiling
 Algorithm, 293, 296
 Correctness, 314
 Composition, 32, 92
 Compound Domains, 75
 Computability, 70, 71
 Computation, 16
 Computational Semantics, 276
 Computer, 294
 Concrete State, 284
 Conditional, 94
 Consistent, 60
 Consistency, 60
 Constructive Specification, 326
 Constructor
 Map. *See* Map, Constructor

- Constructor (cont'd)
 - Set. *See* Set, Constructor
 - Tree. *See* Tree, Constructor
 - Tuple. *See* Tuple, Constructor
 - Context
 - Condition, 96—104, 107, 114, 129, 144
 - Free. *See* Grammar, Context-Free
 - Continuation, 105, 130—132
 - Statement, 125—139
 - Continuity, 62
 - Continuous, 62
 - Correctness, 363
 - Crash, 356, 372
 - Current Position, 415
 - Currying, 30
- D**
- Dangling Reference, 188
 - Data
 - Base, 381
 - Base Management System, 381, 443
 - Base Tree, 418
 - Manipulation, 382
 - Model, 381
 - Model, Hierarchical, 396, 401
 - Querying, 382
 - Refinement, 255, 323, 326, 327
 - Structure, 353
 - Structure Diagram, 431
 - Type, 326, 381
 - Declaration, 154—156, 494
 - Deletion, 407, 412
 - Denotation, 12, 13, 23, 27, 28, 36, 87—115
 - Development, 457
 - Dictionary, 260, 287
 - Directed
 - Set, 62
 - Union, 62
 - Disjoint Union, 67
 - Display, 284
 - Division, Relational, 383
 - DL/1, 413
 - Domain, 15, 31, 57
 - Constructors, 65
 - Flat, 78, 80
 - Union, 67
 - Dump, 281
 - Dynamic
 - Allocation, 98, 179
 - Chain, 284
 - Semantics
 - ALGOL 60, 144—170
 - Pascal, 179—189, 218—248
 - Type Checking, 141, 146
- E**
- Effective Presentation, 71
 - Element, 56
 - Partial, 57
- F**
- Empty
 - Map, 40
 - Set, 39
 - Tuple, 42
 - Enumeration, 71, 76
 - Environment, 14, 16, 97, 112, 114, 144, 145—147, 179
 - Epilogue, 100, 101
 - Equation, 50
 - error, 111
 - Error, 259
 - Expression, 87—91
 - Existential Qualification, 490
 - exit, 35, 107, 127—130, 495
 - Exit, 125—139, 145
- G**
- Garbage, 267, 371
 - Goto, 7, 15, 20, 35, 104—111, 125—139, 180
 - ALGOL 60, 158
 - Continuation Modelling, 130—132
 - exit Modelling, 36—37, 104—111, 127—129
 - Pascal, 180
 - Grammar
 - BNF-. *See* Syntax, BNF
 - Context-Free-, 8, 97
 - Guarded Command, 45
- H**
- Half-Open Interval, 74
 - Has-Clause, 428
- I**
- Hashing, 325
 - Hierarchy
 - Diagram, 397
 - Model, 402
 - Query Language, 406, 407
 - Hierarchical
 - Database System, 403, 405
 - Data Model, 396, 401
 - Order, 413
 - Path, 400
- J**
- if then else, 33, 34, 494
 - Image
 - Direct, 440
 - Inverse, 440
 - Imperative Language, 9, 91
 - Implementation, 81
 - Implicit Definition
 - Map, 40
 - Set, 39
 - IMS, 413
 - Incarnation, 275, 280, 284, 286
 - Independence, 405
 - Induction, 135, 137, 332
 - Inference, 19
 - Infinitary
 - Elements, 57
 - Objects, 54
 - Infinite Trees, 68
 - Inherited Attribute, 293, 300
 - Injection Relation, 446, 452
 - Initial Algebra, 69
 - Input, 113, 143, 149—150, 188, 257
 - Insertion, 407, 412
 - Instance, 401
 - Int, 58, 76
 - Integer, 76
 - Interface, 266
 - Intermediate Text, 312
 - Interpreter, 275
 - Invariant
 - Data Structure, 353
 - Data Type, 328
 - Loop, 336
 - Isomorphic Neighborhood Systems, 59
 - Isomorphism, of Domains, 59, 68
- K**
- Key, 325
 - Field, 404

L

Label, 105, 404
 Lambda
 Calculus. *See* Calculus, Lambda
 Expression, 29
 Function, 275
 Notation, 50. *See also* Calculus, Lambda
 Language
 Meta-, 85, 87
 Object-, 253, 256, 263—266
 Source-, 253
 Target-, 253, 294
 Lazy Evaluation, 78
 Least-Fixed Point. *See* Fixed Point, Least
 Lexicographic, 275, 280, 284, 286
 Limits, 54
 List, 80. *See also* Tuple
 Location, 14, 32, 99, 145, 261, 266—269
 Logic, 37
 Look-up, 325
 Loop, 13
 Invariant. *See* Invariant, Loop
 L-Value, 91, 99

M

Machine
 Abstract, 15—17, 280
 Concrete, 284
 Target, 295. *See also* Language, Object
 Macro
 Expansion, 284, 286
 Substitution, 278, 281, 285
 Make-function, 43—44
 Map, 38, 80, 325, 492
 Constructor, $[\rightarrow]$, 40, 492
 Definition, 40—43, 492
 Enumeration, 40, 492
 Operations
 Application, $(^\circ)$, 40, 492
 Domain, *dom*, 40, 492
 Extension, $\cup$, 40, 492
 Override, $+$, 40, 41, 492
 Merge, *merge*, 40, 41, 492
 Range, *rng*, 40, 41, 492
 Restriction, $\setminus$, $|$, 40, 41, 492
 Mapping, Approximable, 61
 Mechanical Semantics, 281
 Member Record, 432
 META—IV, 25, 85
 Meta-language, 21
 Minimal Solution, 64, 69, 70
 Model, 53
 Abstract, 457
 Modification, 410
 Monotonicity, 60
 Multi-Pass, 312

N

Natural Numbers, 39
 NatO, 58, 76
 Nat, 58
 Navigation, 439, 441
 Neighborhood, 55
 System, 55
 Node, 419
 Non-
 Determinism, 16, 45—46, 123, 257, 266
 Deterministic, 79
 Procedural, 382
 Nonsense, Risk of, 53
 Normalization, Upward and Downward, 417, 423
 Notation, 76
 Lambda-, 50. *See also* Calculus, Lambda
 Number, 6
 Numeral, 27

O

Object, 38—45
 Transform, 314, 353, 355, 445
 Occurrence, 401
 Operation Transform, 314, 353, 355
 Operational
 Abstraction, 381. *See also* Abstraction, Operational
 Semantics, 281. *See also* Semantics, Operational
 Optimization, 262—266
 Ordering, 45
 Hierarchical, 413
 Output, 113, 143, 149—150, 188, 257
 Owner Record, 432

P

Pairing, 66
 Parallel, 15
 Parameter
 Actual, 99, 118
 Formal, 99, 118
 Transmission, 112, 118, 120, 146
 by Name, 143, 146, 162
 by Reference, 32, 112, 145
 by Value, 32, 162
 Parse Tree, 12
 Parsing, 17
 Partial
 Element, 57
 Function. *See* Function, Partial
 Pascal, 2, 6, 112, 175—251, 325, 334—336, 458
 Path, 404, 419
 Hierarchical, 400
 PL/I, 12, 15, 16, 17, 110, 113, 141, 143, 146, 181, 266

Pointer, 188, 449, 454, 456
 Position, Current, 415
 Possibility Space, 55
 Post-condition, 18, 323, 326, 389
 Power
 Domains, 15, 45, 79, 123
 Set, 39
 Pragmatics, 6, 7, 8
 Precedence Rule, 37, 34
 Precondition, 18, 323, 326, 389
 Predicate Calculus. *See* Calculus, Predicate
 Primitive
 Domains, 74, 76
 Operation, 76
 Procedural Operation, 382
 Procedure
 Definition, 152—153
 Denotation, 15, 98, 102—104, 145
 Parameter, 32
 Type, 112
 Value, 77
 Product Spaces, 66, 77
 Program
 Correctness, 17—20, 323—351
 Development, 253, 323
 Testing, 19, 21
 Verification, 10, 19
 Programming Language, 83, 87
 Projection, 74
 Finitary, 74
 Function, 67
 Pair, 73
 Relational, 387
 Proof, 17, 125, 127—139, 253, 259—263
 Rule, 323, 328, 330
 Strategy, 315
 Proposition, 18
 Propositional Calculus. *See* Calculus, Propositional

Q

Qualification, 406, 424
 Qualified Name, 180—186
 Quantifier, 16, 37, 490
 Quotation, 43, 490

R

Range, 80, 390, 392, 395
 Rational Numbers, 74
 Reasoning About Programs, 47. *See also* Program, Correctness
 Record
 Instance, 401
 Pascal, 180
 Retrieval, 407, 410, 414
 Selector, 180—186
 Type, 399
 Variant, 177, 181—186

- Recovery, 351
 - Recursion, 98, 103—104
 - Recursive, 95
 - Data Type, 49
 - Decidability, 71
 - Domain Equations, 67
 - Enumerability, 71
 - Function, 29, 49, 64
 - Register, 259—266
 - Regular Tree, 421
 - Relation, 382
 - Tuple, 383
 - Relational
 - Algebra, 384
 - Model, 382
 - Operations, 383
 - Representational Abstraction. *See* Abstraction, Representational
 - Result, 28
 - Retract, 72
 - Retrieval, 407, 410, 414
 - Retrieve Function, 255, 261, 265, 278, 325, 328—329, 340
 - Return
 - Address, 286
 - Register, 286
 - Reverse Polish Notation, 265
 - Right, Associativity of, $\rightarrow$, 34
 - Rigorous Method, 9, 323, 325—336
 - Run-time
 - Execution Logic, 284
 - State, 288
 - Type Checking. *See* Dynamic, Type Checking
 - R-Value, 91, 99
- S**
- Schema [Modelling], 397
 - Scope, Static, 96—104, 151—154
 - Scott's Theory, 10, 49
 - Search String, 406
 - Selection, 407
 - Direct, 423
 - Indirect, 424
 - Languages, 416, 422, 425
 - Relational, 387
 - Selector Function, 44, 66
 - Self-application, 52
 - Semantic
 - Analysis, 23
 - Domain
 - ALGOL 60, 144—147
 - Pascal, 218
 - Function
 - ALGOL, 147—169
 - Pascal, 221
 - Semantics, 5, 7, 8
 - Algebraic, 458
 - Axiomatic, 3, 9, 10, 17—20, 22
 - Denotational, 3, 12—15, 17, 18, 23, 27, 85, 127
 - Dynamic, 114, 179
 - Semantics (cont'd)
 - Mathematical. *See* Denotational
 - Operational, 3, 15—17, 23, 89
 - Static, 114
 - ALGOL, 147—169
 - Pascal, 177, 196
 - Semiotics, 7
 - Separated Sum, 67
 - Sequel, 390
 - Sequence, 56
 - Set, 38, 490
 - Domain, 79
 - Definition, *-set*, 39, 490
 - Enumeration, 39, 490
 - Object Constructor, { } 39
 - Operations
 - Complement, $\bar{\cdot}$, $\backslash$, 39, 490
 - Difference, $-$, $\backslash$, 39, 490
 - Equality, $=$, 39, 490
 - Inclusion, $\subset$, $\subseteq$, 39, 490
 - Intersection, $\cap$, 39, 490
 - Membership, $\in$, 39, 490
 - Union, $\cup$, 39, 490
 - Distributed, *union*, 39, 490
 - Sharing, 99
 - Side-effect, 31, 33, 93
 - Single Pass, 312
 - Source Language. *See* Language, Source
 - Specification, 81
 - SQL, 390
 - Stack Activation, 280, 281, 284
 - Standard
 - Language-, 17, 177
 - Semantics, 139
 - State, 8, 9, 12, 13, 16, 38, 80, 113, 144—145, 326
 - Statement Continuation. *See* Continuation, Statement
 - Static Semantics. *See* Semantics, Static
 - Stem, 419
 - Stepwise
 - Development, 355
 - Refinement, 355
 - Transformation, 355
 - Store, 38, 80
 - Model, 91—94, 111—113, 186
 - Stored Command, 53
 - Strict Product, 67
 - Structural Induction, 262, 329, 330, 331, 333, 343, 344
 - Subdomain, 69
 - Subset, 112
 - Sum
 - Coalesced, 67
 - Separated, 67
 - Spaces, 76
 - Syntactic Domain, 77
 - ALGOL 60, 147—169
 - Pascal, 179, 190
 - Syntax, 5, 7
 - Abstract, 3, 9, 11—12, 43, 78, 90, 102, 177, 189, 326, 493
 - ALGOL 60, 147—169
 - Syntax (cont'd)
 - Pascal, 179, 190
 - BNF, 8, 21, 90
 - Concrete, 9, 12, 21, 90, 144, 265
 - Synthesis
 - Synthesized Attribute, 293, 300
 - System
 - Record Type, 398, 404
 - 2000, 416

T

 - Target
 - Expression, 390
 - Machine, 293
 - Temporary Variable, 259
 - Termination, 18
 - Theorem, 17, 110
 - tix*, 36, 107, 495
 - Pascal, 180
 - Token*, 43, 54, 58, 490
 - Top-Down, 253, 256, 307, 327
 - Total
 - Correctness, 18
 - Element, 58
 - Function. *See* Function, Total
 - Transformation
 - Object, 314, 353, 355
 - Operation, 314, 353, 355
 - Translation, 144, 195
 - trap*, 495
 - Traversal Language, 413
 - Tree, 492
 - Database, 418
 - Definition, $::$, ($^{\circ\circ}$), 43, 492
 - Object Constructor, *mk-*, 43, 44, 492
 - Regular, 421
 - Traversal, 413
 - Truth Value, 6
 - Tuple, 38, 491
 - Domain, 80
 - Definition, $*$, $+$, 41, 42, 491
 - Object
 - Constructor, $<$, $>$, 42, 491
 - Enumeration, 42, 491
 - Operations
 - Concatenation, $\wedge$, 42, 491
 - Distributed, *-concatenation*, 42, 491
 - Elements, *elems*, 41, 42, 491
 - Head, *hd*, 42, 491
 - Indices, *inds*, 41, 42, 491
 - Indexing, $[^{\circ}]$, 42, 491
 - Length, *len*, 42, 491
 - Tail, *tl*, 42, 491
 - Type
 - Checking, 143
 - Data, 178
 - Definition, 175
 - Environment, Pascal, 179

U

Undefined, 38

Unique

Existing Quantification, $\exists!$, 490

Existing Object, Δ , 490

Identification, 404

Universal

Domain, 72

Quantification, $\forall$, 37, 490

Updating, 407, 412

VDM, x , 1, 3, 76, 83, 85, 125,
253, 323, 457

V

Variable, Assignable, 90—94

Variant, 180—186

VDL, x , 3, 16

W

Weakest Precondition, 18

Where-Clause, 417, 423

while, 13, 31, 34